MAJOR CLASSIFICATION INDEX OF ARTICLES

ANALYTICAL METHODS

On-site Hg analysis of soil at hazardous waste sites 281–290

ENERGY RESOURCES

Coal

Mineralogy and geochemistry of coals and their combustion products, Turkey 911–919

Geothermal

Origin of fluids in the geothermal field of Los Azures, Mexico 1595–1610

Petroleum and natural gas

Assessing maturity of oil trapped in fluid inclusions 451–473
Composition and origin of coalbed gases in SW Poland 895–910
He and C isotopes in natural gases from the Taranaki Basin, New Zealand 419–436

ENVIRONMENTAL GEOCHEMISTRY

A 120-a record of N and C cycling in Lake Alexandrina, Australia 73–84
A siderite/limestone reactor to remove As and Cd from wastewaters 1241–1249
Acidic groundwaters in coal-bearing strata: rare earth element fingerprinting 1465–1480
Adsorption characteristics of δ-MnO_2 1067–1082
As (V) adsorption onto α-Al_2O_3 793–802
B isotopes in *Coffea arabica* beans 317–322
Behaviour of As in contaminated soils 571–581
Bioavailability of soil Al to tea plants 1413–1418
Biodegradation of PAH with non-ionic surfactants in soil slurry 1419–1428
Biogeochemical evolution of trace elements in a pristine watershed, SE Brazil 1139–1151
Buffering by secondary minerals as a migration limiting factor in Pb polluted soils at historical smelting sites 1193–1199
C isotopes in a tropical river affected by bauxite processing 197–206
Characterisation of chlorinated hydrocarbons with Cl and C isotopes: environmental applications 1021–1031
Chemical partitioning in soils contaminated by mining and smelting 1693–1706
Chemistry of and REE in mosses, lichens and vascular plants, Nanavut, Canada 245–270
Conditions for precipitation of iron by *Gallionella ferruginea* in slightly polluted water 1129–1137
Cu and Zn surface complexes on ferrihydritre and schwertmannite 503–511
Cyclic organosilicon compounds in air of the Pearl River Delta area 1447–1454
Determination of cerrusite and inferences for transport at an old Pb mining site 597–608
Dilution and removal of dissolved metals from AMD, Imgok Creek, Korea 1041–1053

MAJOR CLASSIFICATION INDEX OF ARTICLES

ANALYTICAL METHODS

On-site Hg analysis of soil at hazardous waste sites 281–290

ENERGY RESOURCES

Coal

Mineralogy and geochemistry of coals and their combustion products, Turkey 911–919

Geothermal

Origin of fluids in the geothermal field of Los Azures, Mexico 1595–1610

Petroleum and natural gas

Assessing maturity of oil trapped in fluid inclusions 451–473
Composition and origin of coalbed gases in SW Poland 895–910
He and C isotopes in natural gases from the Taranaki Basin, New Zealand 419–436

ENVIRONMENTAL GEOCHEMISTRY

A 120-a record of N and C cycling in Lake Alexandrina, Australia 73–84
A siderite/limestone reactor to remove As and Cd from wastewaters 1241–1249
Acidic groundwaters in coal-bearing strata: rare earth element fingerprinting 1465–1480
Adsorption characteristics of δ-MnO_2 1067–1082
As (V) adsorption onto α-Al_2O_3 793–802
B isotopes in *Coffea arabica* beans 317–322
Behaviour of As in contaminated soils 571–581
Bioavailability of soil Al to tea plants 1413–1418
Biodegradation of PAH with non-ionic surfactants in soil slurry 1419–1428
Biogeochemical evolution of trace elements in a pristine watershed, SE Brazil 1139–1151
Buffering by secondary minerals as a migration limiting factor in Pb polluted soils at historical smelting sites 1193–1199
C isotopes in a tropical river affected by bauxite processing 197–206
Characterisation of chlorinated hydrocarbons with Cl and C isotopes: environmental applications 1021–1031
Chemical partitioning in soils contaminated by mining and smelting 1693–1706
Chemistry of and REE in mosses, lichens and vascular plants, Nanavut, Canada 245–270
Conditions for precipitation of iron by *Gallionella ferruginea* in slightly polluted water 1129–1137
Cu and Zn surface complexes on ferrihydritre and schwertmannite 503–511
Cyclic organosilicon compounds in air of the Pearl River Delta area 1447–1454
Determination of cerrusite and inferences for transport at an old Pb mining site 597–608
Dilution and removal of dissolved metals from AMD, Imgok Creek, Korea 1041–1053

Ecotoxicological assessment of heavy metals in sewage sludge amended soils 1405–1411
Effect of acid soil leaching on stream water chemistry, W. Finland 387–396
Effect of soil structure on bioavailability of PAH 1611–1619
Effect of sulphide impurities on reactivity of pyrite 803–819
Environmental effect of volcanic emissions, Mount Etna, Sicily 985–1000
Evidence that polysaccharide and humic and fulvic acid are co-extracted during analysis but have different roles in the chemistry of waters 1261–1267
Fe speciation in modern sediment from Erhai Lake, SW China 1201–1213
Geochemistry in an anoxic fjord, W. Norway 363–374
Geochemistry of suspended particles in a mine-affected mountain stream 1663–1676
Geochemistry of Voronin Trough cores, Kara Sea, European Arctic 19–34
Green rust "fougerite" mineral — potential for reducing soil pollutants 559–570
Heavy metals around the Daduk Au-Ag-Pb-Zn mine, Korea 1377–1386
Heavy metals in soils and waters around the Imcheon Au-Ag mine, Korea 1369–1375
Heavy metals in urban soils and street dusts, Hong Kong 1361–1368
Hg and CH_3Hg^+ in water and sediment of the Sacramento River Basin 1677–1691
Hg in coastal sediments due to cinnabar mining 541–558
Historical record of PAH and heavy metals in the Rhine floodplain sediments 1707–1721
Influence of S deposition rates on SO_4 retention in aerated forest soils 1003–1019
Kinetics of metal ion sorption on lake sediments 651–658
Loading capacity of agricultural soils for heavy metals, applications in China 1397–1403
Major element geochemistry of sediments from the Fláje basin, Czech Republic 271–279
Molecular tracers in organic aerosols from biomass burning: deciduous trees 1545–1565
Molecular tracers in organic aerosols from biomass burning: temperate climate conifers 1513–1544
Multi-element sediment geochemistry of the Pearl River, China 1251–1259
Occurrence of Al_{13} in soil solutions and surface waters 513–529
Oxidative dissolution of metacinnabar by dissolved O_2 1499–1512
PAH in sediments of the Pearl River and estuary, China 1429–1445
Pb isotopes and chalcophile elements in the vicinity of a Zn smelter/recovery facility, Pennsylvania 207–229
Pb isotopes in the urban environment, Pearl River Delta 409–417
Pollution of waters by AMD in the Gangreung coalfield, Korea 1387–1396
Quantification of O_2 consumption and SO_4 release rates for wastes rock piles at a U mine, Saskatchewan, Canada 1215–1230
Ra in groundwaters of Palaeozoic carbonate aquifers, USA 109–122
REE migration and fractionation in salts next to a basalt dyke 351–361
Relationship between basal till and surface soil chemistry in forests, Finland 123–136
Solid phase partitioning of metals in Managed Realignment soils: laboratory studies with soil and seawater 1621–1630
Solid-water partitioning of elements in Czech freshwaters 437–450
Standard reference water samples for REE 231–244
TEM-EDX investigation on Zn- and Pb-contaminated soils 1165–1177
Trace element release from Penn mine base-metal slag dump, California 1567–1593
Use of cyclic voltammetry to evaluate reactivity in sulphide mining residues 1631–1640
U-series disequilibrium of volcanic gases: implications for volcanic and geochemical risk 57–72

Sorption-desorption of ^{85}Sr on montmorillonite and silica colloids 1653–1662
Sr sorption to bacteria, Fe_2O_3 and composite bacteria- Fe_2O_3 surfaces 939–946
Vertical profiles of trace metals and AVS in sediment, Lake Ketel, The Netherlands 781–791
Volatile organic acids and microbial processes in the Yegua formation, Texas 183–195
Water chemistry and the distribution of an acidophilic protozoan in an AMD system, Indiana 1641–1652

Geochemical mapping

Environmental geochemistry at the global scale 1291–1308
Geochemical mapping in the Asia-Pacific region 1309–1321
Large scale patterns in low density maps of C-horizon podzols in Arctic Europe 963–983
Low-density geochemical mapping in Portugal 1323–1331
Multi element, multi-medium regional geochemistry of the European Arctic 759–780
Regional geochemistry of the central Barents region using terrestrial moss 137–159
Use of multivariate statistics and GIS to trace contamination around the Chungnam coal mine, Korea 1455–1464

Geochemistry and health

A soil sorbent for defluoridation of drinking water 531–539
Biogeochemical cycling of Se in China 1345–1351
Geology and geochemistry of high-As coals from endemic arsenosis areas in SW Guizhou Province, China 1353–1360
Se in a mini-landscape of Yutangba, Enshi, Hubei Province, China 1333–1344

Groundwater

Boron and its isotopes in groundwaters 821–834
Brines in the Carboniferous Sydney Coalfield, Canada 35–55
^{14}C in groundwater in sedimentary rocks, Tono, central Japan 849–859
Changes in hydrogeochemical conditions due to tunnelling at Äspö, Sweden 291–315
Chemistry, isotopic data and temperature of water inflows to 2 Swiss tunnels 633–649
Contamination of deep formation water by drilling fluids 1083–1096
Effect of mine closure on shallow groundwater quality, Sardinia 489–502
Evaporative chemical evolution of waters at Yucca Mountain 1231–1240
Factors which control the chemistry of karstic springs: A case study 1179–1192
Groundwater composition, evolution and mass transfer in a detrital aquifer, Spain 745–758
Isotopic and geochemical evidence of regional anisotropy and interconnection in an alluvial fan system 1097–1114
Noble gas isotopes in and water/gas chemistry of soda springs on islands along the Cameroon Volcanic Line 323–338
Paleohydrodynamics of fluids in the Brent Group, North Sea 609–632
^{34}S and ^{18}O of SO_4 in aquifers of Murray Basin, Australia 475–488
Temporal variation of NO_3 in a schist aquifer 583–596

Radioactive waste disposal

Adsorption of radioelements on mixtures of minerals 85–93
French SON 68 nuclear glass alteration on contact with clay 861–881
Kinetics of montmorillonite dissolution in granitic solutions 397–407
Ti(IV) hydrolysis constants derived from rutile 1115–1128

Thermal water

Geochemistry of thermal springs, Alhama de Granada, Spain 1153–1163
Hydrogeochemistry and stable isotopes of thermal springs related to seismicity, Sicily 1–17

Weathering

Implantation of recoiling radionuclides of U and Th radioactive series to estimate erosion of $CaCO_3$ 849–859
Influence of mineralogy on weathering rates in an acid sensitive granitic catchment 931–937

GENERAL GEOCHEMISTRY

CO_2 gas pools in Jiyang sag, China 1033–1039
Comparison of sterols in shelf and slope sediments off NW Taiwan 95–108
Estimates of CO_2 output from Pantelleria, Sicily: evidence of mantle degassing 883–894
Hydrothermal alteration of hemi-pelagic sediments, processes in shallow subduction zones 1055–1066
Thermodynamics of ice polymorphs and 'ice-like' water in hydrates and hydroxides 161–181

MINERAL RESOURCES

Recovery of trace metals in formation waters by acid gases from natural gas 1481–1497
REE and Pt group elements in relation to metal zoning in the Kupferschiefer 375–386

Exploration

Factorial kriging with external drift: a case study in Portugal 921–929
Multi-element relationships in stream sediments mineral exploration: a case study 339–350

MODELLING

Modelling impacts of acidic groundwater and evaporate sulphates on Boulder Creek, Iron Mountain, Colorado 947–961

REVIEWS

Biogeochemistry of landfill leachate plumes 659–718
Organotin compounds in the environment 719–743

OTHER TOPICS

Book Reviews

Introduction to ground water geochemistry 1285–1286
Santorini volcano, geological society memoir 19 1286–1287
Soil resources and the environment 1001

Preface

1289

Acid-base accounting 1631
Acidification
effect on low base containing sediments 271
of soil 931
Acid mine drainage 503, 803, 1041, 1369, 1387, 1465, 1641, 1663
particulates in 1663
precipitates 1387, 1465
Acid rock drainage
impact on water quality 947
prediction of 1631
Acid sulphate soils, effect on water quality 387
Acid volatile sulfide, in lake sediment 781
Ag
behaviour during alteration of hemi-pelagic sediments 1055
in atmospheric particles 207
in formation water 1481
in furnace dust 207
in groundwater 489
in house dust 207
in Kupferschiefer 375
in lichen 245
in moss 245,759
in nuclear glass 861
in river and stream sediment 1455
in smelter waste 207
in soil 207, 759, 963
in vascular plants 245
release from mine waste 1215
Al
aqueous species in soil solution 513
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 409
in coal 911
in coal ash 911
in coal mine drainage 1041, 1387, 1641
in formation water 609, 1083
in groundwater 1567, 1653
in marine sediment 19
in moss 137, 759
in nuclear glass 861
in precipitates from coal mine drainage 1041, 1387
in pristine river sediment 1139
in reservoir water 1567
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 387, 437, 947, 1041, 1261, 1567, 1663
in sediments affected by acidification 271
in smelter slag 1567
in soil 123,759, 963, 1003, 1165, 1413, 1621, 1693

in stream particulates 1663
in stream precipitates 947
in suspended sediment 437
in thermal water 1153
in till 123
release from mine waste 1215
uptake by tea plant 1413
Al_{13} polycation
in soil water 513
in surface water 513
Alban Hills, Italy 57
Alberta Basin, Canada 1481
Alhama de Granada, Spain 1153
Almeria, Spain 397
Am, adsorption 85
Anatolia, Turkey 835
Anhwei Province, China 1413
Ankara, Turkey 911
Annabon Island, Cameroon 323
Ar, in natural gas 419
^{36}Ar
in groundwater 291
in soda spring gases 323
^{38}Ar
in groundwater 291
in soda spring gases 323
^{40}Ar
in groundwater 291
in soda spring gases 323
Arctic, European 19, 759, 963
Arctic Ocean 19
Arsenosis, endemic 1353
As
adsorption
in soils 571
on Al_2O_3 793
behaviour during alteration of hemi-pelagic sediments 1055
contamination, at industrial site 571
human health problems of 1353
in coal 911, 1353
in coal ash 911
in formation water 1481
in groundwater 1567
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245,759
in pyrite 489, 803, 1353
in river and stream sediment 339, 1323
in river and stream water 387, 437, 947, 1567
in smelter slag 1567

in soil 571, 759, 963
in suspended sediment 437
in vascular plants 245
leaching from soils 571
release from mine waste 1215
removal from contaminated water 1241
Äspö, Sweden 291
Atlantic Ocean 35
Au
in coal 1353
in Kupferschiefer 375
in lichen 245
in moss 245
in pyrite 1353
in soil 207, 963
in vascular plants 245
mining, Hg contamination from 1677
Australia 451
Lake Alexandrina, South Australia 73
Murray River 73, 475
Victoria 475

B
behaviour during alteration of hemi-pelagic sediments 1055
in coffee beans 317
in formation water 609, 1083, 1481
in groundwater 489, 821
in moss 137
in nuclear glass 861
in rainwater 821
in soil 963
in spring water 1595
in thermal water 1153, 1595
^{11}B
behaviour during alteration of hemi-pelagic sediments 1055
in coffee beans 317
in groundwater 821
in rainwater 821
Ba
behaviour during alteration of hemi-pelagic sediments 1055
in aquifer rocks 109
in atmospheric particles 207
in brine 35
in coal 911
in coal ash 911
in formation water 609, 1083, 1481
in furnace dust 207
in groundwater 109, 489, 1567
in house dust 207
in lichen 245
in moss 137, 245, 759

in nuclear glass 861
in reservoir water 1567
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 437, 1041
in smelter slag 207, 1567
in soil 207, 759, 963, 1621
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Background, pristine 1139
Baltic Sea 291
Barents Sea 137, 759, 963
Bauxite, processing 197
Baza basin, Spain 745
Be
behaviour during alteration of hemi-pelagic sediments 1055
in coal mine drainage 1641
in lichen 245
in moss 245
in river and stream sediment 1455
in river and stream water 437
in soil 963
in vascular plants 245
Belice Fault, Sicily 1
Berkshire, England 821
Betic Alps, Spain 745, 1179
Bi
in atmospheric particles 207
in coal 911
in coal ash 911
in furnace dust 207
in house dust 207
in moss 759
in river and stream sediment 1251
in smelter slag 207
in soil 207, 759, 963
Bioko Island, Cameroon 323
Biomarkers, from biomass burning
coniferous trees 1513
deciduous trees 1545
Biomass burning
biomarkers 1513, 1545
organic compounds released 1513, 1545
Bohai Bay Basin, China 1033
Bolivia, Cochabamba Valley 1097
Book Review
Introduction to ground water geochemistry 1285
Santorini volcano 1286
Soil resources and the environment 1001
Botany Pond, Cumbria, England 651
Boulder Creek, California 947

Br
behaviour during alteration of hemi-pelagic sediments 1055
in brine 35
in formation water 609, 1083, 1481
in groundwater 489, 1097
in lichen 245
in moss 245
in soil 963
in spring water 1
in thermal water 1
in vascular plants 245
Brazil 317
Rio de Janeiro State 1139
Brine, origin of in groundwater 35
Butyltin compounds 719

C
in anoxic sediment 363
in groundwater 849, 1653
in Kupferschiefer 375
in lake sediment 73, 781
in landfill leachate 659
in pristine river sediment 1139
in river and stream water 387, 437, 1139, 1261
in soil 1003, 1165, 1707
in suspended sediment 437
^{13}C
in anoxic sediment 363
in chlorinated hydrocarbons 1021
in CO2 gas pools 1033
in coal 895
in coalbed gas 895
in geothermal fluids 1595
in groundwater 849
in hydrocarbons 419
in lake sediment 73
in natural gas 419
in river sediment 197
in rocks 197
in soda spring gases 323
in spring water 1, 323
in thermal water 1, 1153
in volcanic gas 883
^{14}C
dating of groundwater 849
dating of lake sediment 1201
in geothermal fluids 1595
in thermal water 1153
Ca
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409

in aquifer rocks 109
in atmospheric dust 409
in brine 35
in coal 911
in coal ash 911
in coal mine drainage 1041, 1387, 1641
in formation water 609, 1083, 1481
in groundwater 109, 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
in lake sediment 781
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in oilfield waters 1269
in precipitates from coal mine drainage 1041
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 197, 437, 931, 947, 1041, 1261, 1567, 1663
in sediments affected by acidification 271
in smelter slag 1567
in soil 123, 759, 963, 1165, 1193, 1621, 1693
in spring water 1, 323, 633, 1179
in stream particulates 1663
in suspended sediment 437
in thermal water 1
in till 123
in vascular plants 245
release from mine waste 1215
Calcite, erosion of 835
California, U.S.A. 281, 947, 1513, 1567, 1677
Cameroon
Annabon Island 323
Bioko Island 323
Mount Cameroon 323
São Tomé Island 323
Cameroon Volcanic Line 323
Canada 803
Alberta Basin 1481
Maritimes Basin 35
Nova Scotia 35
Nunavut 245
Saskatchewan 1215
Carson River Basin, Nevada, U.S.A. 281
Castellammare-Alcamo geothermal system, Scicily 1
Cd
adsorption on MnO2 1067
behaviour during alteration of hemi-pelagic sediments 1055
in atmospheric particles 207
in coal mine drainage 1641
in floodplains 1707
in furnace dust 207

in groundwater 489, 1567
in house dust 207
in lake sediment 781
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in nuclear glass 861
in reservoir water 1567
in river and stream sediment 1377, 1455
in river and stream water 387, 947, 1041, 1369, 1377, 1567
in smelter slag 207, 1567
in soil 207, 571, 759, 963, 1165, 1361, 1369, 1377, 1387, 1405, 1693, 1707
in suspended sediment 781
in tailings 1369, 1377
in vascular plants 245, 1377
release from mine waste 1215
removal from contaminated water 1241
Ce
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in nuclear glass 861
in ochre 1465
in river and stream sediment 1251
in river and stream water 437
in soil 963
in standard water 231
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Celebes 317
CH_4
in CO_2 gas pools 1033
in coalbed gas 895
in fluid inclusions from igneous rocks 1033
in landfill leachate 659
in natural gas 419
in soda spring gases 323
in spring water 1
in thermal water 1
C_2H_6, in coalbed gas 895
C_2H_8, in coalbed gas 895
$C_4H_{10} + C_5H_{12}$, in coalbed gas 895
China 1309, 1353, 1397

Anhwei Province 1413
Bohai Bay basin 1033
Dali, Guandong Province 409
Enshi District, Hubei Province 1333
Erhai Lake, Yunnan Province 1201
Foshan, Guandong Province 409
Guangzhou 409, 1447
Guizhou Province 1353
Hong Kong 1361
Jiangu Province 1413
Macau 1447
Nanhai 1447
Pearl River 409, 1251, 1429, 1447
Tarim Basin 1269
Xinzhou Prefecture, Shanxi Province 531
Zhejiang Province 1413
Chlorinated hydrocarbons, isotopic composition of 1021
Choongchung Province, Korea 1369
Chungnam coal mine, Korea 1455
Cl
in brine 35
in coal mine drainage 1641
in formation water 609, 1083, 1481
in groundwater 291, 475, 489, 583, 745, 821, 985, 1097, 1179, 1231, 1567, 1653
in landfill leachate 659
in rain 985
in river and stream water 437, 583, 1041, 1369, 1567
in soil 1165
in spring water 1, 323, 633, 1179, 1595
in suspended sediment 437
in thermal water 1, 1153, 1595
^{36}Cl, in groundwater 291
^{37}Cl
in chlorinated hydrocarbons 1021
in salt 1021
Clear Lake, California, U.S.A. 281
Cluff Lake U mine, Saskatchewan, Canada 1215
Co
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in floodplains 1707
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in nuclear glass 861
in river and stream sediment 339, 1251, 1323, 1387, 1455
in river and stream water 387, 437, 1041
in soil 123, 759, 963, 1323, 1387, 1707
in suspended sediment 437

in till 123
in vascular plants 245
release from mine waste 1215
^{57}Co, sorption on lake sediments 651
CO
in spring water 1
in thermal water 1
CO_2
gas pools 1033
in coalbed gas 895
in fluid inclusions from igneous rocks 1033
in groundwater 883, 1129
in natural gas 419
in soda spring gases 323
in soil gas 883
in spring water 1
in thermal water 1
in volcanic gas 57, 883
mantle derived 1033
CO_3
in spring water 1
in thermal water 1
Coal
geochemistry 911
high arsenic 1353
mine water 1041, 1387, 1465, 1641
brine 35
mineralogy 911
Coalbed gases
composition 895
origin 895
Cochabamba Valley, Bolivia 1097
Coët-Dan catchment, Brittany, France 583
Coffea arabica, ^{11}B in 317
Colorado, U.S.A. 1663
Columbia 317
Cordoba, Spain 1179
Costa Rica 317
Cr
behaviour during alteration of hemi-pelagic sediments 1055
in coal mine drainage 1041, 1641
in coastal sediment 541
in floodplains 1707
in formation water 1481
in furnace dust 207
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245
in nuclear glass 861
in pristine river sediment 1139

in river and stream sediment 339, 1251, 1323, 1387, 1455
in river and stream water 387, 437, 1041
in smelter dust 207
in smelter slag 1567
in soil 123, 571, 963, 1387, 1405, 1621, 1707
in suspended sediment 437
in till 123
in vascular plants 245
release from mine waste 1215
removal from contaminated water 1241
Cs
adsorption 85
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in moss 245
in nuclear glass 861
in river and stream sediment 1251
in river and stream water 387, 437
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
^{134}Cs, sorption on lake sediments 651
^{137}Cs, in lake sediment 73
Cu
adsorption by Fe oxyhydroxides 503
adsorption by MnO_2 1067
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 207, 409
in coal 911
in coal ash 911
in coastal sediment 541
in floodplains 1309, 1707
in formation water 1481
in furnace dust 207
in gossan 947
in groundwater 1567
in Kupferschiefer 375
in lake sediment 781
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in pristine river sediment 1139
in pyrite 803, 1353
in reservoir water 1567
in river and stream sediment 339, 1251, 1309, 1323, 1377, 1387, 1455
in river and stream water 387, 437, 947, 1041, 1369, 1377, 1567, 1663

in smelter dust 207
in smelter slag 1567
in soil 123, 207, 571, 759, 963, 1361, 1369, 1377, 1387, 1405, 1621, 1707
in stream particulates 1663
in stream precipitates 947
in suspended sediment 437, 781
in tailings 1369, 1377
in till 123
in vascular plants 245, 1377
release from mine waste 1215
Cumbria, England 651
Cyclic voltammetry, to assess sulphide mineral reactivity 803, 1631
Czech Republic 437
Krušne Mountains 271

Daduk mine, Korea 1377
Dali, Guangdong Province, China 409
Denmark, Esbjerg 1129
Diagenesis 363
Defluoridation of drinking water 531
Derbyshire, England 1693
Didcot, Berkshire, England 821
Duoro River, Portugal 921
Durham County, England 1465
Dy
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in standard water 231
in vascular plants 245
release from mine waste 1215

Elvan Water, Southern Uplands, Scotland 597
Energy dispersive X-ray, to determine spatial chemistry 1165
England 1261, 1291
Berkshire 821
County Durham 1465
Cumbria 651
Essex 1621
Isle of Wight 821
London Basin 821
Surrey 821
Weald Basin 821
Enshi District, Hubai, China 1333

Er
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in standard water 231
in vascular plants 245
release from mine waste 1215
Erhai Lake, Yunnan Province, China 1201
Esbjerg, Denmark 1129
Essex, England 1621
Esthwaite Water, Cumbria, England 651
Ethiopia 317
Eu
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in soil 963
in standard water 231
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Euglena mutabilis, in coal mine drainage 1641
European Arctic 19, 759, 963
Evaporative evolution, of groundwater 1231
Evaporites, Zechstein 351
Everglades, Florida 1499

F
effect on health 531
in formation water 1083
in groundwater 745, 985, 1097, 1231, 1481, 1653
in rain 985
in river and stream water 437, 1369
in spring water 1, 633
in thermal water 1
sorption from drinking water 531

Fe
behaviour during alteration of hemi-pelagic sediments 1055
biotic precipitation of 1129
in aerosols 409
in atmospheric dust 409
in brine 35
in coal 911, 1353
in coal ash 911
in coal mine drainage 1041, 1387, 1641
in coastal sediment 541
in formation water 1083, 1481
in furnace dust 207
in groundwater 821, 1097, 1129, 1567, 1653
in lake sediment 73, 781, 1201
in landfill leachate 659
in lichen 245
in marine sediment 19
in metal mine drainage 1663
in moss 245, 759
in nuclear glass 861
in precipitates from coal mine drainage 1041, 1387
in pristine river sediment 1139
in pyrite 821
in reservoir water 1567
in river and stream sediment 339, 1251, 1323, 1387, 1455
in river and stream water 387, 437, 947, 1041, 1261, 1567, 1663
in smelter dust 207
in smelter slag 1567
in soil 123, 207, 759, 963, 1003, 1165, 1621, 1693, 1707
in stream particulates 1663
in stream precipitates 947
in suspended sediment 437
in tailings leachate 1631
in till 123
in vascular plants 245
release from mine waste 1215
species in lake sediment, redox environment shifts 1201
Finland 123, 137, 759, 963
Munsala stream 387
Fláje Basin, Krušne Mountains, Czech Republic 271
Florida, U.S.A. 1499
Fluorosis, endemic 531
Fluid inclusions, oil bearing 451
Formation water
brine 35
contamination of by drilling fluids 1083
from Oseberg Field, Norwegian North Sea 609
recovery of metals from 1481
Foshan, Guangdong Province, China 409
France 513, 1611
Brittany 583

Gard district 1083
Lille 1165
Paris Basin 1083
Vienne district 1083
Fulvic acid, extraction from waters 1261

Ga
in coal 911
in coal ash 911
in lichen 245
in moss 245
in river and stream sediment 339, 1251
in river and stream water 437
in vascular plants 245
Gallionella ferruginea, precipitation of Fe by 1129
Gangreung coal field, Korea 1041, 1387
Gard district, France 1083
Gd
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in standard water 231
in vascular plants 245
release from mine waste 1215
Ge
in coal 911
in coal ash 911
Geochemical baseline, global project 1291, 1309
Geochemical exploration 339, 963
use of factoral kriging in 921
Geochemical mapping 137, 759, 963, 1291, 1309, 1323, 1455
International project 1309
Geochemical provinces 963
Geochemistry and health 1291
endemic arsenosis 1353
endemic fluorosis 531
Se and human health 1333, 1345
Geothermal fluids, origin of 1595
Germany 351, 1003
The River Rhine 1707
GIS, application in environmental contamination 1455
Glengonnar Water, Southern Uplands, Scotland 597
Gossan 947
Gottard Exploration Tunnel 633

Gottard Highway Tunnel 633
Green rust mineral in soil
redox reactions of 559
structure of 559
Green Valley coal mine, Indiana 1641
Groundwater 109, 183, 475, 821, 947
acidic 947, 1567
alluvial fan 1097
contamination by agriculture 583
by mining 489
with pesticides 1129
dating 291, 849
detrital aquifer 745
evolution of 291
evaporative 1231
karstic 1179
modelling 633, 758
residence time 291, 475
source of SO4 in 475
thermal 1153
evolution of 1595
Guangdong Province, China 409
Guangzhou, China 40, 1447
Guatemala 317
Guildford, Surrey, England 821
Guizhou Province, China 1353
Gulf of Trieste, Italy/Slovenia 541

H_2
in coalbed gas 895
in soda spring gases 323
in spring water 1, 323
in thermal water 1
^2H
in brine 35
in coalbed gas 895
in formation water 609
in groundwater 291, 489, 849, 1097
in hydrocarbons 419
in natural gas 419
in oilfield water 1269
in spring water 1, 633, 1595
in thermal water 1, 1595
^3H
in groundwater 291, 849, 1097
in spring water 1595
in thermal water 1153, 1595
Hawaii, U.S.A. 317
HCO_3
in brine 35
in coal mine drainage 1641

Gard district 1083
Lille 1165
Paris Basin 1083
Vienne district 1083
Fulvic acid, extraction from waters 1261

Ga
in coal 911
in coal ash 911
in lichen 245
in moss 245
in river and stream sediment 339, 1251
in river and stream water 437
in vascular plants 245
Gallionella ferruginea, precipitation of Fe by 1129
Gangreung coal field, Korea 1041, 1387
Gard district, France 1083
Gd
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in standard water 231
in vascular plants 245
release from mine waste 1215
Ge
in coal 911
in coal ash 911
Geochemical baseline, global project 1291, 1309
Geochemical exploration 339, 963
use of factoral kriging in 921
Geochemical mapping 137, 759, 963, 1291, 1309, 1323, 1455
International project 1309
Geochemical provinces 963
Geochemistry and health 1291
endemic arsenosis 1353
endemic fluorosis 531
Se and human health 1333, 1345
Geothermal fluids, origin of 1595
Germany 351, 1003
The River Rhine 1707
GIS, application in environmental contamination 1455
Glengonnar Water, Southern Uplands, Scotland 597
Gossan 947
Gottard Exploration Tunnel 633

Gottard Highway Tunnel 633
Green rust mineral in soil
redox reactions of 559
structure of 559
Green Valley coal mine, Indiana 1641
Groundwater 109, 183, 475, 821, 947
acidic 947, 1567
alluvial fan 1097
contamination by agriculture 583
by mining 489
with pesticides 1129
dating 291, 849
detrital aquifer 745
evolution of 291
evaporative 1231
karstic 1179
modelling 633, 758
residence time 291, 475
source of SO4 in 475
thermal 1153
evolution of 1595
Guangdong Province, China 409
Guangzhou, China 40, 1447
Guatemala 317
Guildford, Surrey, England 821
Guizhou Province, China 1353
Gulf of Trieste, Italy/Slovenia 541

H_2
in coalbed gas 895
in soda spring gases 323
in spring water 1, 323
in thermal water 1
^2H
in brine 35
in coalbed gas 895
in formation water 609
in groundwater 291, 489, 849, 1097
in hydrocarbons 419
in natural gas 419
in oilfield water 1269
in spring water 1, 633, 1595
in thermal water 1, 1595
^3H
in groundwater 291, 849, 1097
in spring water 1595
in thermal water 1153, 1595
Hawaii, U.S.A. 317
HCO_3
in brine 35
in coal mine drainage 1641

in formation water 1083, 1481
in groundwater 745, 821, 1097, 1129, 1231, 1653
in landfill leachate 659
in river and stream water 1369
in spring water 1, 323, 633
in thermal water 1, 1153
He
in coalbed gas 895
in groundwater 291
in soda spring gases 323
in spring water 1
in thermal gas 1
^{3}He
in CO2 gas pools 1033
in groundwater 291
in natural gas 419
in soda spring gases 323
in volcanic gas 883
^{4}He, dating of groundwater 291
Hf
behaviour during alteration of hemi-pelagic sediments 1055
in lichen 245
in moss 245
in soil 963
in stream sediment 339
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Hg
contamination in old mining areas 281, 541, 1499, 1677
determination of, on-site 281
in coal 1353
in coastal sediment 541
in floodplains 1309
in groundwater 489
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245
in pyrite 1353
in river and stream sediment 1677
in river and stream water 1677
in soil 207, 963
in vascular plants 245
sinks 1499
$HgCH_3^-$
in river and stream sediment 1677
in river and stream water 1677
Ho
in basalt 351
in coal 911

in coal ash 911
in coal mine drainage 1465
in evaporites 351
in ochre 1465
in river and stream sediment 1251
in standard water 231
release from mine waste 1215
Hong Kong 1361
H_2S
in fluid inclusions from igneous rocks 1033
in formation water 1481
in groundwater 1097
in natural gas 1481
in volcanic gas 57
Hubei Province, China 1355
Humic acid, extraction from waters 1261
Hydration equilibrium, variation with temperature and humidity 161
Hydrothermal alteration of sediments from subduction zone, laboratory study 1055

I, in formation water 1481
Idrija mining district, Slovenia 541
Iglesias mining district, Sardinia, Italy 489
Ilha Grande, Rio de Janeiro State, Brazil 1139
Imgok Creek, Korea 1041
In
in atmospheric particles 207
in furnace dust 207
in house dust 207
in lichen 245
in moss 245
in smelter waste 207
in soil 207
in vascular plants 245
Indiana, U.S.A. 1641
Indonesia, Java 317
Ir
in Kupferschiefer 375
in soil 963
Iron Mountain, California 847
Isle of Wight, England 821
Isonzo River, Slovenia/Italy 541
Isotopes
Ar 291, 323
B 317, 821, 1055
Be 1055
C 1, 73, 197, 323, 363, 419, 849, 883, 895, 1021, 1033, 1153, 1595
Cl 291, 1021
Co 651
Cs 73, 651
H 1, 35, 291, 323, 419, 489, 609, 633, 849, 895, 1097, 1153, 1269, 1595
He 291, 323, 419, 883, 1033

Li 1055
N 73
Nd 351
Ne 323
O 1, 35, 197, 291, 323, 475, 489, 609, 633, 849, 1055, 1097, 1153, 1269, 1595
Pb 73, 409, 835
Po 835
Ra 109, 835
Rn 855
Ru 651
S 35, 475, 633, 1003
Sr 35, 351, 651, 931, 1055, 1269, 1653
Th 57
U 57, 109
Italy
Alban Hills 57
Gulf of Trieste 541
Iglesias mining district, Sardinia 489
Sicily 1
Mount Etna 985
Pantelleria Island 883

Jamaica
Kingston 197
Rio Cobre 197
Japan
Nankai Trough 1055
Tono 849
Java, Indonesia 317
Jiangu Province, China 1413
Jiyang sag, Bohai Bay basin, China 1033

K
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 409
in brine 35
in coal 911
in coal ash 911
in coal mine drainage 1641
in formation water 609, 1083, 1481
in groundwater 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in precipitates from coal mine drainage 1041
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 437, 931, 947, 1041, 1567
in sediments affected by acidification 271

in smelter slag 1567
in soil 123, 759, 963, 1165, 1621
in spring water 1, 323, 633
in suspended sediment 437
in thermal water 1, 1153
in till 123
in vascular plants 245
Kansas, U.S.A. 109
Kara Sea, Arctic Ocean 19
Karstic groundwater, chemistry of 1179
Kaschin-Beck Disease 1345
Keshan Disease 1345
Kingston, Jamaica 197
Kola Peninsula, Russia 19, 137, 759, 963
Korea
Choongchung Province 1369
Chungnam coal mine 1455
Daduk mine 1377
Gangreung coal field 1041, 1387
Imgok Creek 1041
Kr, in soda spring gases 323
Krušne Mountains, Czech Republic 271
Kupferschiefer 375

La
behaviour during alteration of hemi-pelagic sediments 1055
in atmospheric particles 207
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 137, 245
in nuclear glass 861
in ochre 1465
in river and stream sediment 1251, 1323
in river and stream water 437
in soil 963
in standard water 231
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Lake Alexandrina, South Australia 73
Lake Ketel, The Netherlands 781
Landfill leachate
chemistry of 659
microbes in 659
redox processes in 659
Leadhills, Southern Uplands, Scotland 597

Li
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in formation water 609, 1083, 1481
in groundwater 489
in nuclear glass 861
in river and stream sediment 1251, 1455
in river and stream water 437
in soil 963, 1621
in spring water 1, 633
in thermal water 1
^{6}Li, behaviour during alteration of hemi-pelagic sediments 1055
Lille, France 1165
Lipids, in shelf sediments 95
Loading capacity, heavy metals in soil 1397
London Basin, England 821
Los Aufres geothermal field, Mexico 1595
Lu
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in soil 963
in standard water 231
in vascular plants 245
release from mine waste 1215
Lubin mining district, Poland 375

Macau, China 1447
Mantle degassing 883
Maritimes Basin, Canada 35
Mediterranean Sea 541, 883
Metacinnabar, dissolution 1499
Metallogenic provinces 963
Mexico 317, 803, 1631
Los Aufres geothermal field 1595
Mg
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in aquifer rocks 109
in atmospheric dust 409
in brine 35
in coal 911

in coal ash 911
in coal mine drainage 1387, 1641
in formation water 609, 1083, 1481
in groundwater 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
in landfill leachate 659
in marine sediment 19
in moss 137, 759
in nuclear glass 861
in precipitates from coal mine drainage 1041
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 1, 197, 387, 931, 947, 1041, 1567
in sediments affected by acidification 271
in smelter slag 1567
in soil 123, 759, 963, 1621
in spring water 323, 633, 1179
in stream particulates 1663
in thermal water 1, 1153
in till 123
Mine closure, effect on groundwater 489
Mineralisation
Apatite 963
Au 963, 1677
Au-Ag 1369
Au-Ag-Pb-Zn 1377
Cu 375
Cu-Zn 1567
Fe 963
Hg 541, 1677
Nb-Ta-Zr 963
Ni-Cu-PGE 963
Pb-Zn 489
Pt-Pd 1309
Ti-Fe-P 963
U 1215
V-Ti 1309
Mining, environmental contamination from 541, 597, 1193, 1369, 1377, 1693
Missouri, U.S.A. 109
Mn
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in coal mine drainage 1041, 1387, 1641
in coastal sediment 541
in formation water 1083, 1481
in furnace dust 207
in groundwater 489, 1129, 1567, 1653
in lake sediment 781, 1201
in landfill leachate 659
in marine sediment 19
in moss 137, 759
in nuclear glass 861

in precipitates from coal mine drainage 1041
in pristine river sediment 1139
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 387, 437, 947, 1041, 1567, 1663
in smelter dust 207
in smelter slag 1567
in soil 123, 207, 571, 759, 963, 1165, 1621, 1693
in stream particulates 1663
in suspended sediment 437
in till 123
release from mine waste 1215
MnO_2, adsorption properties 1067
Mo
in coal 911
in coal ash 911
in lichen 245
in moss 245
in nuclear glass 861
in river and stream sediment 1251
in river and stream water 1041
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Mobility of elements in surficial environments 1291
Modelling
adsorption, of As in soils 571
on Al_2O_3 793
on Fe oxyhydroxides 503
on MnO_2 1067
flowpath 633
groundwater composition 745
leaching of As from soils 571
metal release from smelter slag 1567
mobility of trace metals in lake sediment 651
stream water composition 947
Monchegorsk, Kola Peninsula, Russia 759
Montana, U.S.A. 1291
Monteponi Pb/Zn mine, Sardinia, Italy 489
Montevago geothermal system, Sicily 1
Montmorillonite dissolution, effect of pH on 397
Mount Cameroon, Cameroon 323
Mount Etna, Sicily 985
Munsala stream, Finland 387
Murray River, Australia 73, 475

N
in anoxic sediment 363
in lake sediment 73
^{15}N, in lake sediment 73
N_2

in CO_2 gas pools 1033
in coalbed gas 895
in fluid inclusions from igneous rocks 1033
in natural gas 419
in soda spring gases 323
in spring water 1
in thermal water 1
Na
behaviour during alteration of hemi-pelagic sediments 1055
in brine 35
in coal 911
in coal ash 911
in coal mine drainage 1641
in formation water 609, 1083, 1481
in groundwater 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in oilfield waters 1269
in precipitates from coal mine drainage 1041
in rainwater 821
in river and stream sediment 339, 1251, 1455
in river and stream water 197, 437, 931, 947, 1041, 1567
in sediments affected by acidification 271
in smelter slag 1567
in soil 123, 759, 963, 1621
in spring water 1, 323, 633, 1179
in suspended sediment 437
in thermal water 1, 1153
in till 123
in vascular plants 245
Nanhai, China 1447
Nankai Trough, Japan 1055
Nb
in coal 911
in coal ash 911
in river and stream sediment 339, 1251
release from mine waste 1215
Nd
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in nuclear glass 861

in ochre 1465
in river and stream sediment 1251
in river and stream water 437
in soil 963
in standard water 231
in vascular plants 245
release from mine waste 1215
$^{143}Nd/^{144}Nd$
in basalt 351
in evaporites 351
Ne
in groundwater 291
in soda spring gases 323
^{21}Ne, in soda spring gases 323
^{22}Ne, in soda spring gases 323
Nevada, U.S.A. 281, 1231, 1653
New Guinea 317
New Zealand, Taranki Basin 419
NH_3, in formation water 1481
NH_4
in formation water 1083
in groundwater 745, 1129
in landfill leachate 659
Ni
adsorption on MnO_2 1067
behaviour during alteration of hemi-pelagic sediments 1055
in coal mine drainage 1641
in coastal sediments 541
in floodplains 1309, 1707
in groundwater 1567
in Kupferschiefer 375
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in nuclear glass 861
in pyrite 803
in river and stream sediment 339, 1251, 1309, 1323, 1387, 1455
in river and stream water 387, 437, 1041, 1567
in smelter slag 1567
in soil123, 571, 759, 963, 1387, 1405, 1621
in suspended sediment 437
in till 123
in vascular plants 245
release from mine waste 1215
Nicaragua 317
Nikel, Kola Peninsula, Russia 759
NO_3
contamination from agriculture 583
in groundwater 583, 745, 821, 985, 1097, 1129, 1231, 1653
in landfill leachate 659

in rain 985
in river and stream water 583, 1041, 1369
in soil 1405
in spring water 1, 633
in thermal water 1, 1153
NO_x, acidification due to deposition of 271
Nordåsvannet, Norway 363
North Sea, Norwegian 609
Norway 137, 759, 963
Nordåsvannet 363
Nova Scotia, Canada 35
Nuclear waste
disposal 351, 397, 1115
glass, alteration of 861
Nunavut, Canada 245

O_2
in groundwater 1129
in landfill leachate 659
in natural gas 419
in spring water1
in thermal water 1
^{18}O
in brine 35
in calcite 1595
in formation water 609
in groundwater 291, 475, 489, 849, 1097
in oilfield water 1269
in river sediment 197
in rocks 197
in spring water 1, 323, 633, 1595
in thermal water 1, 1153, 1595
Ocean Drilling Program 1055
Oil
fluorescence of 451
thermal maturity of 451
Oklahoma, U.S.A. 109
Oregon, U.S.A. 1513
Organic aerosols, from biomass burning
coniferous trees 1513
deciduous trees 1545
Organotin compounds 719
Oseberg Field, Norwegian North Sea 609
Oxidation of mine waste, kinetic study 1215

P
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in groundwater 1129
in Kupferschiefer 375

in lake sediment 73
in landfill leachate 659
in marine sediment 19
in moss 137, 759
in nuclear glass 861
in river and stream sediment 339, 1251, 1323, 1455
in soil 123, 759, 963, 1165, 1693
in suspended sediment 437
in till 123
release from mine waste 1215
Palmerton, Pennsylvania, U.S.A. 207
Pantelleria Island, Sicily 883
Papuan Basin 451
Paris Basin, France 1083
Pb
adsorption on MnO2 1067
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 207, 409
in coal 911
in coal ash 911
in coal mine drainage 1041, 1641
in floodplains 1707
in formation water 1481
in furnace dust 207
in groundwater 489, 1567
in house dust 207
in Kupferschiefer 375
in lake sediment 781
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in pristine river sediment 1139
in pyrite 803
in reservoir water 1567
in river and stream sediment 597, 1251, 1323, 1377, 1387, 1455
in river and stream water 387, 437, 947, 1041, 1369, 1377, 1567
in smelter slag 207, 1193, 1567
in soil 123, 207, 571, 759, 963, 1165, 1193, 1361, 1369, 1377, 1387, 1397, 1405, 1621, 1693, 1707
in suspended sediment 437, 781
in tailings 1369, 1377
in tailings leachate 1631
in till 123
in vascular plants 245, 1377
mobility as cerussite 597
pollution of urban environment 409
release from mine waste 1215
^{206}Pb
in aerosols 409

in atmospheric dust 409
in automobile exhaust 409
in granite 409
in house dust 207
in Pb/Zn deposit 409
in smelter waste 207
in soil 207, 409
in volcanic rocks 409
^{207}Pb
in aerosols 409
in atmospheric dust 409
in automobile exhaust 409
in granite 409
in house dust 207
in Pb/Zn deposit 409
in smelter waste 207
in soil 207, 409
in volcanic rocks 409
^{208}Pb
in aerosols 409
in atmospheric dust 409
in automobile exhaust 409
in granite 409
in house dust 207
in Pb/Zn deposit 409
in smelter waste 207
in soil 207, 409
in volcanic rocks 409
^{210}Pb dating
of coastal sediments 541
of lake sediment 73
Pd, in Kupferschiefer 375
Pearl River, China 409, 1251, 1429, 1447
Penedono, Portugal 921
Penn Mine, California 1567
Pennsylvania, U.S.A. 207
Peru 317
Pesitides, in groundwater 1129
PO_4
in formation water 1481
in groundwater 1097, 1653
Poland
Lubin mining district 375
Silesia 895
Pollution Index, of soils 1387, 1397
Polycyclic aromatic hydrocarbons
biodegradation 1419, 1611
from biomass burning 1513, 1545
in floodplains 1707
in marine sediment 1429
in river sediment 1429

in river water 1429
in soil 1611, 1707
solubility 1419
Portugal 1323
Duoro River 921
Penedono 921
Pr
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in lichen 245
in moss 245
in nuclear glass 861
in ochre 1465
in river and stream sediment 1251
in standard water 231
in vascular plants 245
release from mine waste 1215
Preface 1289
Pristine river sediment, chemistry 1139
Pt
in floodplains 1309
in Kupferschiefer 375
Pyrite
formation in anoxic sediments 363
reactivity 803

Ra
in aquifer rocks 109
in groundwater 109
^{228}Ra
in aquifer rocks 109
in groundwater 109
Rb
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in evaporites 351
in groundwater 489
in lichen 245
in moss 137, 245
in river and stream sediment 339, 1251
in river and stream water 437, 1041
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Re, in Kupferschiefer 375

Review 659, 719
Rh, in Kupferschiefer 375
Rhine River, Germany/The Netherlands 781, 1707
Rio Cobre, Jamaica 197
Rio de Janeiro State, Brazil 1139
Risk assessment 571
Rn, in volcanic gas 57
Ru, in Kupferschiefer 375
^{85}Ru, sorption on lake sediments 651
Russia 137, 759, 963
    Kola Peninsula 19, 137, 759, 963
    Siberia 19
    Ural Mountains 19
Rutile (TiO_2), solubility 1115

S
    in anoxic sediment 363
    in metal mine drainage 1663
    in moss 759
    in precipitates from coal mine drainage 1387
    in pyrite 803, 1353
    in smelter slag 1567
    in soil 123, 759, 963, 1003, 1165
    in till 123
S^{2-}
    in groundwater 1097
    in landfill leachate 659
^{34}S
    in brine 35
    in groundwater 475
    in soil 1003
    in spring water 633
    in thermal water
Sacramento River Basin, California 1677
San Francisco Bay, California 1677
São Tomé Island, Cameroon 323
Sardinia, Italy 489
Saskatchewan, Canada 1215
Sb
    behaviour during alteration of hemi-pelagic sediments 1055
    in atmospheric particles 207
    in coal 1353
    in furnace dust 207
    in groundwater 1567
    in lichen 245
    in marine sediment 19
    in moss 245
    in nuclear glass 861
    in pyrite 1353
    in river and stream water 387, 437, 1567
    in smelter slag 207, 1567

in soil 207, 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Sc
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in moss 245
in river and stream sediment 1251
in river and stream water 437
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Sciacca geothermal system, Sicily 1
Scotland, Southern Uplands 597
Se
adsorption 85
human deficiency diseases 1345
human toxicity diseases 1333, 1345
in formation water 1481
in furnace dust 207
in lichen 245
in marine sediment 19
in moss 245
in river and stream water 387
in smelter waste 207
in soil 207, 963, 1333, 1345
in vascular plants 245, 1333, 1345
in water 1345
release from mine waste 1215
Sea water-soil interaction 1621
Sediment transport 781
Selenosis 1333
Sewage sludge, effect of application to soil 1405
Shanxi Province, China 531
Si
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 409
in cereals 1345
in coal 911
in coal ash 911
in coal mine drainage 1641
in formation water 609, 1083, 1481
in groundwater 745, 1097, 1567, 1653
in landfill leachate 659
in moss 137, 759
in nuclear glass 861

in precipitates from coal mine drainage 1041
in reservoir water 1567
in river and stream water 437, 947, 1041, 1261, 1567
in sediments affected by acidification 271
in smelter slag 1567
in soil 759, 963, 1165
in spring water 1
in stream particulates 1663
in stream sediment 339
in suspended sediment 437
in thermal water 1, 1153
organo-, in atmosphere 1447
Siberia, Russia 19
Sicily, Italy 1, 883, 985
Sierra Nevada, California 1567
Silesia, Poland 895
Slag, smelter, release of metals from, on weathering 1193
Slovenia, Gulf of Trieste 541
Sm
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in river and stream water 437
in soil 963
in standard water 231
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Smelter slag, contamination of reservoir water 1567
Smelting, environmental contamination from 1165, 1193, 1693
Sn
butyl- in algae 719
in fish 719
in freshwater 719
in harbour sediments 719
in mammals 719
in mussels 719
in seawater 719
in sediment 719
in sewage sludge 719
in nuclear glass 861
in pyrite 1353
in river and stream sediment 921, 1251
organo- in environment 719

industrial uses of 719
toxicity of 719
release from mine waste 1215
SO_2
acidification due to deposition of 271
in fluid inclusions from igneous rocks 1033
SO_3
in aerosols 409
in atmospheric dust 409
SO_4
deposition on soils 1003
in brine 35
in coal mine drainage 1041, 1387, 1641
in formation water 609, 1083, 1481
in groundwater 183, 475, 489, 583, 745, 821, 985, 1097, 1179, 1231, 1567, 1653
in landfill leachate 659
in rain 985
in river and stream water 387, 437, 583, 947, 1041, 1369, 1567, 1663
in precipitates from coal mine drainage 1041
in pyrite 803
in sediment 183
in spring water 1, 323, 633, 1179, 1595
in stream particulates 1663
in stream precipitates 947
in thermal water 1, 1153, 1595
release from mine waste 1215
retention in soils 1003
Solfatara of Pomezia, Alban Hills, Italy 57
South Australia 73, 475
South China Sea 95
Southern Uplands, Scotland 597
Spain
Alhama de Granada 1153
Almeria 397
Betic Alps 745, 1179
Cordoba 1179
Sr
in basalt 351
in brine 35
in coal 911
in coal ash 911
in evaporites 351
in formation water 609, 1083, 1481
in groundwater 489, 745, 1653
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 437, 1041
in soil 759, 963

in spring water 1, 633
in suspended sediment 437
in thermal water 1, 1153
in vascular plants 245
release from mine waste 1215
sorption by bacteria 939
^{85}Sr
sorption-desorption on colloids 1653
sorption on lake sediment 651
^{87}Sr
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in brine 35
in evaporites 351
in oilfield water 1269
in river and stream water 931
in rocks 1269
Sri Lanka, Walawe Ganga Basin 339
Standard reference water, for rare earth elements 231
Sterols, in shelf sediments 95
Subduction, alteration of sediments during 1055
Sulfur Bank Hg mine, Clear Lake, California 281
Sulphide oxidation 803
Surrey, England 821
Sweden, Äspö 291
Switzerland 397
The Alps 633
Sydney Coalfield, Maritimes Basin, Canada 35
Syria 835

Ta
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in moss 245
in river and stream sediment 339, 1251
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Taiwan 95
Tanzania 317
Taranaki Basin, New Zealand 419
Tarim Basin, China 1269
Tb
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465

in evaporites 351
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in soil 963
in standard water 231
in vascular plants 245
release from mine waste 1215
Te
in furnace dust 207
in house dust 207
in nuclear glass 861
in smelter waste 207
in soil 207, 963
Tennessee, U.S.A. 1499
Texas, U.S.A. 183
Th
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in river and stream sediment 339, 1251, 1323
in river and stream water 437
in soil 759, 963
in suspended sediment 437
in vascular plants 245
in volcanic material 57
release from mine waste 1215
^{230}Th, in volcanic material 57
The Netherlands
Lake Ketel 781
River Rhine 781
Thermal waters 1153
origin of 1
relationship to seismic activity 1
Thermodynamics
of hydrated phases 161
of ice polymorphs 161
Ti
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in marine sediment 19
in river and stream sediment 339, 1251, 1455
in river and stream water 387
in smelter slag 1567
in soil 963

in suspended sediment 437
release from mine waste 1215
Ti(IV), hydrolysis constants 1115
Timor Sea 451
Tl
in coal 911
in coal ash 911
in furnace dust 207
in lichen 245
in moss 245
in river and stream water 387, 437
in smelter waste 207
in soil 207, 1165
in vascular plants 245
release from mine waste 1215
Tm
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in ochre 1465
in river and stream sediment 1251
in standard water 231
release from mine waste 1215
Tono, Japan 849
Transmission Electron Microscopy, to investigate metal speciation 1165
Turkey
Anatolia 835
Ankara 911

U
behaviour during alteration of hemi-pelagic sediments 1055
in aquifer rocks 109
in coal 911
in coal ash 911
in coal mine drainage 1041
in lichen 245
in moss 137, 245
in nuclear glass 861
in river and stream sediment 339, 1251
in river and stream water 387, 437, 1041
in soil 963
in suspended sediment 437
in vascular plants 245
in volcanic material 57
release from mine waste 1215
^{234}U
in aquifer rocks 109
in volcanic material 57
U-series disequilibrium

for estimation of environmental impact of volcanic gases 57
for volcanic geochronology 57
U-Th disequilibrium series, to measure erosion of calcite 835
United Kingdom 1193
England 651, 821, 1261, 1465, 1621, 1693
Scotland 597
Wales 1291
Ural Mountains, Russia 19
Urban pollution 409, 1361
U.S.A.
California 281, 947, 1513, 1567, 1677
Colorado 1663
Florida 1499
Hawaii 317
Indiana 1641
Kansas 109
Missouri 109
Montana 1291
Nevada 281, 1231
Oklahoma 109
Oregon 1513
Pennsylvania 207
Tennessee 1499
Texas 183

V
behaviour during alteration of hemi-pelagic sediments 1055
in coal mine drainage 1641
in lichen 245
in marine sediment 19
in moss 245, 759
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 387, 437
in soil 571, 759, 963, 1323
in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Victoria, Australia 475
Vienne district, France 1083
Viking Graben, Norwegian North Sea 609
Volcanic emissions, environmental impact of 985
Volatile organic acids
in sediment 183
production and utilisation by microrganisms 183
Voronin Trough, Kara Sea, Arctic Ocean 19

W
in coal 911
in coal ash 911
in lichen 245
in moss 245
in soil 963

in suspended sediment 437
in vascular plants 245
release from mine waste 1215
Walawe Ganga Basin, Sri Lanka 339
Wales 1291
Wanlockhead, Southern Uplands, Scotland 597
Water-rock interaction 35, 633, 745, 1055
Weald Basin, England 821
Weathering
of $CaCO_3$ 835
of smelter slag 1193, 1567
rates, granite 931

Xe, in soda spring gases 323
Xenobiotic organic compounds, in landfill leachate 659
Xinzhou, Shanxi Province, China 531

Y
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in evaporites 351
in lichen 245
in moss 137, 245
in nuclear glass 861
in river and stream sediment 339, 1251
in river and stream water 437
in soil 963
in vascular plants 245
release from mine waste 1215
Yb
behaviour during alteration of hemi-pelagic sediments 1055
in basalt 351
in coal 911
in coal ash 911
in coal mine drainage 1465
in evaporites 351
in Kupferschiefer 375
in lichen 245
in moss 245
in river and stream sediment 1251
in river and stream water 437
in soil 963
in standard water 231
in vascular plants 245
release from mine waste 1215
Yucca Mountain, Nevada, U.S.A. 1231, 1653
Yunnan Province, China 1201

Zapoljarnij, Kola Peninsula, Russia 759

Zechstein 351, 375
Zhejiang Province, China 1413
Zn
adsorption on Fe oxyhydroxides 503
on MnO_2 1067
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 207, 409
in coal 911
in coal ash 911
in coal mine drainage 1041, 1641
in coastal sediment 541
in floodplains 1707
in formation water 609, 1481
in furnace dust 207
in gossan 947
in groundwater 489, 1567
in house dust 207
in Kupferschiefer 375
in lake sediment 781
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in nuclear glass 861
in pristine river sediment 1139
in pyrite 803
in reservoir water 1567
in river and stream sediment 339, 921, 1251, 1323, 1377, 1387, 1455
in river and stream water 387, 437, 947, 1041, 1369, 1377, 1567, 1665
in smelter slag 207, 1567
in soil 123, 207, 571, 759, 963, 1165, 1361, 1369, 1377, 1387, 1405, 1621, 1693, 1707
in stream precipitates 947
in stream particulates 1663
in suspended sediment 437, 781
in tailings 1369, 1377
in tailings leachate 1631
in till 123
in vascular plants 245, 1377
release from mine waste 1215
smelting, contamination from 207
Zr
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in nuclear glass 861
in river and stream water 437
in soil 963
in stream sediment 339
in suspended sediment 437
release from mine waste 1215

AUTHOR INDEX
(Book Review-BR; Preface-P)

Aagaard P. 1269
Abdelmoula M. 559
Abraham-Peskir J. 1129
Abrahams P. 1001 (BR)
Aiuppa A. 985
Aka F.T. 323
Albrechtsen H.-J. 659
Alpers C.N. 1567
Amellal N. 1611
Anderson P. 571
Andrews J.E. 197
Antweiler R.C. 231
Aranyossy J.F. 1083
Aruna R. 1129
Aspler L. 245
Åström M. 387
Äyräs M. 137
Bain D.C. 931
Banner J.L. 109
Barnes-Leslie D.A. 197
Barnett M.O. 1499
Batista A.C. 921
Batista M.J. 921, 1323
Baun A. 659
Bechtel A. 375
Belkin H.E. 1353
Berthelin J. 1611
Bertrand V. 803
Biagini C. 489
Binz C.M. 109
Bird D.K. 1567
Birkett J.W. 1621
Birkle P. 1595
Bjerg P.L. 659
Bogatyrev I. 137
Bone Y. 475
Bonfanti P. 985
Bordenave P. 583
Bouamama M. 1179
Boudot J.-P. 513
Boult S. 1261
Bourcier W.L. 1115
Bourrié G. 559
Brake S.S. 1641
Brambati A. 541
Brusca L. 985
Buatier M.D. 1165
Bunker D.J. 651
Buykx S.E.J. 781
Caballero E. 397
Cai C. 1269
Cantagallo M. I. 317
Caritat P. de 137, 759
Cerón J.C. 1153
Cha J.-M. 1455
Chan C.Y. 1447
Chan L.Y. 1447
Chandrajith R. 339
Chekushin V. 137
Chen C. 1353
Chen H.M. 1397
Chen Y.-W. 409
Cheng H. 1309
Chermak J.A. 947
Chiarenzelli J. 245
Chon H.-T. 1377, 1387
Christensen J.B. 659
Christensen T.H. 659
Cidu R. 489
Cisneros J. de 397
Coleman M.L. 609, 1021
Connors K.A. 1641
Cotter-Howells J. 597
Cousens B. 245
Covelli S. 541
Cruz R. 803, 1631
Cruz-Sanjulián J. 745
D'Alessandro W. 985
Dannelly H.K. 1641
Dennis P.F. 197
DePaula F.C.F. 1139
Dibley M.J. 1115
Dighton J.C. 73
Di Lisa G.A. 57
Ding Z. 1353
Dissanayake C.B. 339
Dogramaci S.S. 475
Domagalski J. 1677
Dong D. 1413
Drever J.I. 1663
Drimmie R. 1097
Du Y. 1413
Dunn C. 245
Duthie D.M.L. 931
Dutkiewicz A. 451
Eadington P.J. 451
Eggenkamp 1021
Einaudi M.T. 1567
Elliott W.C. 375
Elsass F. 1165
Emmerson R.H.C. 1621
Esposito K.J. 947
Faganeli J. 541
Fanfani L. 489
Favara R. 1, 883
Federico C. 985
Feng Z. 1033
Ferreira A. 1323
Ferreira L. 1323
Ferris F.G. 939

Finkelman R.B. 1353
Finne T.E. 137
Foucher J.-C. 583
Franks S.G. 1269
Frape S. 1097
Fu J. 1429
Fu J.M. 1447
Galasso J.J. 19
Gao Y. 1345
Garden L.M. 571
Gayer R.A. 911
Gdowski G.E. 1231
Gee C. 1193
Génin J.-M.R. 559
George S.C. 451
Gérard F. 513
Gerlach R.W. 281
Ghazi A.M. 375
Giammanco S. 883
Gibling M.R. 35
Gieskes J.M. 1055
Gin S. 861
Gocht T. 1707
Goldsmith S. 911
González I. 803, 1631
Grassa F. 1
Greenaway A.M. 197
Grossman E.L. 183
Gunter W.D. 1481
Guodong Z. 1201
Gustin M.S. 281
Hall L. 947
Halleraker J.H. 137
Halter W.E. 793
Hama K. 849
Hannula S.R. 947
Hasegawa T. 291
Hasiotis S.T. 1641
Havránek V. 437
Hendry M.J. 1215
Heo B. 1041
Heraty L.B. 109
Herczeg A.L. 73, 475
Heron G. 659
Hidalgo M.C. 745
Hillier S. 597
Hilton D.R. 419
Hilton J. 651
Hitchon B. 1481
Hobzová M. 271
Hoch M. 719
Hollings P. 1215
Horvat M. 541
Howarth R.J. 609
Huertas F. 397
Huertas F.J. 397
Huh C.-A. 95
Hulston J.R. 419
Humphries K. 207
Hunziker J. 633
Hwang C.K. 1455
Igarashi T. 291
Inácio M.M. 1323
Inguaggiato S. 1, 883
Iwatsuki T. 849
Iyer S.S. 317
Jacquier P. 85
Jakeš P. 271
Jendrzejewski N. 1021
Jeng W.-L. 95
Jensen D.L. 659
Jollivet P. 861
Jugdaohsingh R. 1261
Jullien M. 861
Jung M.C. 1369, 1377
Kaplan I.R. 419
Karayigit A.I. 911
Kashulina G. 137, 759
Keith D.C. 947
Ketterer M.E. 207
Kharaka Y.K. 1285 (BR)
Kiefel B. 351
Kiho K. 291
Kim I.S. 1419
Kim J.-Y. 1387, 1455
Kim K.-W. 1419
Kirkland R.A. 1215
Kjeldsen P. 659
Kloppmann W. 1083
Knauss K.G. 1115, 1231
Koch C.B. 1129
Kotarba M.J. 895
Kravitz J.H. 19
Krouse H.R. 317, 1003
Kučera J. 437
Kuno A. 1201
Kusakabe M. 323
Lachassagne P. 583
Lahdenperä A.-M. 123
La Ruffa 489
Lee C.G. 1377
Lee H.-K. 1455
Lee S.C. 1447
Lester J.N. 1621
Levy D.B. 947
Li X. 1289 (P), 1361, 1447, 1693
Liao Y. 1033
Lin Z. 1429
Linares J. 397
Linder P.W. 1067
Liu P.S. 1361
Livens F.R. 651
Long J. 1353
López-Chicano M. 1153, 1179
Lowry J.H. 207
Lu N. 1653

Lumsdon D.G. 571
Ly J. 85
Mahara Y. 291
Mai B. 1429
Majer V. 437
Marini L. 633
Marras I. 489
Martel A.T. 35
Martelat A. 583
Mason C.F.V. 1653
Mather J.D. 821
Matray J.M. 1083
Matsuo M. 1201
Mayer B. 1003
Meeussen J.C.L. 571
Meier P. 85
Melezhik V. 963
Méndez B.A. 1631
Mengel K. 351
Mercury L. 161
Merkel B. 1595
Mestre J.P. 861
Mihaljevič M. 279
Min Y. 1429
Min Y.S. 1447
Miyakawa K. 291
Mizutani Y. 849
Moldenhauer K.-M. 1707
Monroy M. 803, 1631
Morgado P. 1323
Mozeto A.A. 1139
Müller A. 363
Musgrove M. 109
Nagao K. 323
Nakano K. 849
Nguyen M. 35
Nicholson R.V. 1215
Niskavaara H. 137, 759
Nordstrom D.K. 231
Novotnak M.P. 207
Obbard J.P. 1405
Onacak T. 911
Oros D.R. 1513, 1545
Oszczepalski S. 375
Ozarko D. 245
Palmisano M. 835
Parello F. 985
Park J.-S. 1419
Parsons M.B. 1567
Pastorelli S. 633
Paterson E. 571
Pauwels H. 583
Pavlov V. 137
Pearce N.J.G. 1286 (BR)
Pearson D.G. 1465
Pecoraino G. 883
Peng J.-H. 409
Pereira V. 1323
Perkins E.H. 1481
Pfeifer H.-R. 793
Pinto M.S. 1323
Plant J. 1291
Poon C.-S. 1361
Portal J.-M. 1611
Porteous N.C. 821
Portugal E. 1595
Powell J. 1261
Powis K. 245
Pozo C. 861
Pretorius P.J. 1067
Prietzel J. 1003
Puledo-Bosch A. 1153, 1179
Püttmann W. 1707
Ramsey M.H. 1193
Ranger J. 513
Raponi A. 835
Reardon E.J. 531, 1241
Refait P. 559
Reimann C. 137, 759, 963
Rice D.D. 895
Roe M.J. 931
Rosenberg N.D. 1231
Routh J. 183
Ruble T.E. 451
Rudolph D. 1097
Runnells D.D. 947
Saegusa H. 849
Schiff S.L. 475
Scrimshaw M.D. 1621
Shaw H.F. 1115
Sheng G. 1429
Sheng G.Y. 1447
Siegel F.R. 19
Simon J. Jr. 207
Simoneit B.R.T. 1513, 1545
Singer P.C. 1499
Small T.D. 939
Smith A.K. 73
Smith B. 1261, 1291
Smith D. 1291
Smith J.T. 651
Sobanska S. 1165
Søgaard E.G. 1129
Sousa A.J. 921
Steinmann M. 351
Stille P. 351
Stimson J. 1097
Sturchio N.C. 109
Suflita J.M. 183
Sullivan A.B. 1663
Suzuki K. 597
Swedlund P.J. 503
Takano B. 1201
Tamminen P. 123
Tanaka Y. 291
Tanyileke G. 323

Tardy Y. 161
Tarvainen T. 123
Taylor H.E. 231
Thomson C.M. 931
Thornton L. 1193, 1693
Tobschall H.J. 339
Torres-Alvarado I.S. 1595
Trolard F. 559
Tu C. 1397
Turner R.R. 1499
Ulrich G.A. 183
Valenza M. 1
Vallejos A. 1153, 1179
Van den Berg G.A. 781
Van den Hoop M.A.G.T. 781
Van der Heijdt L.M. 781
Van Emon 281
Verplanck P.L. 231
Veselý J. 437
Viegas L. 921
Vieillard P. 161
Voltaggio M. 57, 835
Voltaggio S. 57, 835
Wang L. 1251
Wang S. 1033
Wang Y. 531, 1241
Wang X. 1429
Wang X.M. 1447
Wang Z. 1345
Warren L. A 939
Watts M. 947
Webster J.G. 503
White K. 1261
Wieser M.E. 317
Williams L. 1291
Worrall F. 1465
Xie X. 1309
Xie Z. 1413
Xu S. 849
You C.-F. 1055
Yu J.-Y. 1041
Zhang C. 1251
Zhang G. 1429
Zheng B. 1333, 1353
Zheng C.R. 1397
Zheng L. 1033
Zhou D. 1353
Zhou D.M. 1397
Zhou Y. 1353
Zhu B.-Q. 409
Zhu J. 1333
Ziegler K. 609
Zwolsman J.J.G. 781

Choose from broad collections of primary journal literature and powerful secondary databases, all deliverable via the Internet or your local Intranet—building blocks for the digital library you need.



SCIENCE DIRECT®

For the Digital Library You Want

ScienceDirect offers desktop access to over 1 million articles published in nearly 1,200 journals spanning 16 fields of science and provides researchers with some 2 million bibliographic citations and abstracts. Access may also be provided to an additional 30 million abstracts via ScienceDirect's secondary databases.

Unprecedented content, navigability and customization options
Whether you choose the breadth of the ScienceDirect multi-publisher platform or one of our discipline or industry-focused solutions, you'll be providing your institution with a dynamic, efficient and integrated solution to access the world's critical STM literature.

ScienceDirect Online
ScienceDirect OnSite
ScienceDirect Web editions
ScienceDirect Gateway
ScienceDirect Bibliographic Database Collection
ScienceDirect Industry Solutions: Pharmaceutical
ADONIS®
ScienceServer®







www.sciencedirect.com

NEW YORK
+1 212 633 3809
usinfo@sciencedirect.com

AMSTERDAM
+31 20 485 3767
nlinfo@sciencedirect.com

SINGAPORE
+65 434 3716
sginfo@sciencedirect.com

TOKYO
+81 3 5561 5035
jpinfo@sciencedirect.com

RIO DE JANEIRO
+55 21 509 5340
brinfo@sciencedirect.com

0 097 056 1

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS direct

Sign-up is simple!

1. ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
2. FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
3. THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

REGISTER TODAY

www.elsevier.com/locate/contentsdirect

AUTHORS

If you want to make the best of your artwork send it in the correct digital format

All articles accepted for publication in Elsevier Science journals are processed using electronic production methods. Authors should therefore ensure that their artwork conforms to the following guidelines:

- **Colour and greyscale images** should be supplied as **TIFF** or **EPS** files (resolution 300 dpi).
- **Line drawings (black & white or colour)** should be supplied as **EPS** files

If you need help to create files in these formats, go to
www.elsevier.com/locate/authorartwork/formats

Please also note:

- We still need a good quality hard copy of each figure in case the electronic file cannot be used. The hard copy and electronic file must match exactly.
- We can use floppy disks, ZIP disks or CD-ROM. Artwork files should be on a separate disk or CD to article text files.
  www.elsevier.com/locate/authorartwork/media
- Only standard fonts should be used, for example:
  Times, Times New Roman, Helvetica, Arial, Symbol
  www.elsevier.com/locate/authorartwork/formats
- Lines should be a minimum width of 0.5 pt.
  www.elsevier.com/locate/authorartwork/linewidth
- Only standard colours should be used.
  www.elsevier.com/locate/authorartwork/colours
- Lettering should be a consistent size and appropriate to the size of the figure.
  www.elsevier.com/locate/authorartwork/sizing
- An image which looks acceptable on a computer may not reproduce well, so it is important to ensure that these guidelines are followed.

Our Author Artwork website has all the information you need on how to submit your artwork correctly. Visit it today at:

www.elsevier.com/locate/authorartwork

ELSEVIER

NORTH HOLLAND

PERGAMON

Stop wandering, start wondering.

1 011 2300 4

For scientific information only. scirus
www.scirus.com

Be as quick as your student.



1 011 2300 4

1 011 2300 5

For scientific information only. scirus
www.scirus.com

Be as informed as your teacher.

1 011 2300 6

For scientific information only. SCIRUS
www.scirus.com

1 011 2300 6